

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	(US-20030026163-\$ or US-20010006483-\$ or US-20050172095-\$ or US-20060265565-\$).did. or (US-4388620-\$ or US-6279090-\$ or US-6286062-\$ or US-5825710-\$ or US-6266750-\$ or US-6405280-\$ or US-4346458-\$ or US-5666321-\$ or US-6442644-\$ or US-6034916-\$ or US-6192002-\$ or US-3735368-\$ or US-6426915-\$ or US-6094727-\$ or US-3922644-\$ or US-6484244-\$ or US-6172893-\$ or US-6029252-\$ or US-5973989-\$ or US-6560669-\$ or US-6519675-\$ or US-6125078-\$ or US-6178133-\$ or US-6321315-\$). did.	US-PGPUB; USPAT	OR	ON	2007/02/02 11:35
L2	0	L1 AND (bank ADJ address\$3 near5 row ADJ address\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:36
L3	9	L1 AND ((bank ADJ address\$3 OR BA) near5 (row ADJ address\$3 OR RA OR RAS))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:48
L4	9	L1 AND ((bank ADJ address\$3 OR BA) WITH (row ADJ address\$3 OR RA OR RAS))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:48
L15	67	((command near4 address) near5 (signal\$1 OR bit\$1)) WITH ((bank ADJ address\$3 OR BA) near5 (row ADJ address\$3 OR RA OR RAS))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:06
L17	21	((command near4 address) near5 (signal\$1 OR bit\$1)) WITH ((bank ADJ address\$3 OR BA) near5 (row ADJ address\$3 OR RA OR RAS) near5 (column ADJ address\$3 OR CA OR CAS))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:07
L18	46	L15 NOT L17	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:06
L20	2	(A8 OR RA8) near5 ((RAS OR RA) near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:08

## EAST Search History

L21	57	((row ADJ address near3 (bit\$1 OR signal\$1)) OR A8 OR RA8) near5 (RAS near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 14:25
L22	3	((row ADJ address) near3 (data OR bit\$1 OR signal\$1)) near5 (shar\$3 OR us\$3) near5 (select\$3 near3 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 14:22
L23	1	((row ADJ address) near3 (data OR bit\$1 OR signal\$1)) near5 (shar\$3 OR us\$3) near5 (control\$4 near3 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 14:22
L25	9	((row ADJ address) near5 (data OR bit\$1 OR signal\$1)) WITH (shar\$3 OR us\$3) WITH (control\$4 near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 14:21
L26	10	((row ADJ address) near5 (data OR bit\$1 OR signal\$1)) WITH (shar\$3 OR us\$3) WITH (select\$3 near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 14:47
L27	7	((row ADJ address near3 (bit\$1 OR signal\$1)) OR A7 OR RA7) near5 ((BA0 OR bank ADJ address) near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 14:28
L28	10	((row ADJ address near5 (bit\$1 OR signal\$1)) OR A7 OR RA7) WITH ((BA0 OR bank ADJ address) near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 14:28
L31	53	((address) near2 (data OR bit\$1 OR signal\$1)) near5 (shar\$3 OR us\$3) near5 ((command OR control) near2 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/02/02 14:55